

A SNOWDOGG® EVOLUTION
USER INSPIRED DESIGNS

SNOWPLOWS



SNOWDOGG®
by **Buyers**

2017-2018



NOTHING WORKS LIKE A DOGG™



HDII SeriesPage 6-7

EXII Series.....Page 8-9

TEII Series.....Page 10-11

VXFII SeriesPage 12-13

VUT & MUT SeriesPage 14-15

MD Series..... Page 16-17

VMD Series Page 18-19

XP SeriesPage 20-21

CM Series.....Page 22-23

SKTE Series.....Page 24-25

NOTHING WORKS LIKE A DOGG™

The world relies on you to keep it moving. Over the past 10 years contractors, property managers, and municipalities have learned that they can rely on SnowDogg™ plows because - Nothing Works like a Dogg™.

This winter Buyers is proud to offer upgraded versions of its most demanded plows: VXFII, EXII, HDII, and TEII. Check out improvements like the Floating A-Frame™, QuickMount II™, and the municipal-style lift arm. Improvements designed to simplify mounting systems and maximize your time behind the plow.

No matter what winter throws at you, you can count on Buyers to keep you moving.



PRODUCT SPECS


MODEL	WIDTH	BLADE HEIGHT	MATERIAL	THICKNESS	ANGLE CYLINDERS	LIFT CYLINDER	KINGPIN SIZE	WIDTH AT ANGLE	RIBS	SPRINGS	TRIP STYLE	CUTTING EDGE	WEIGHT ¹	DEFLECTOR	SHOES
VUT65	78"	25"/31"	SS	.075"	1½" x 1¾" x 8"	1½" x 6"	1⅛"	60"	6	2	Edge	1/4" x 5"	400 lbs.	Opt.	Opt.
MUT60	72"	24"	SS	.075"	2" x 1½"	1½" x 6"	1"	63"	6	2	Full	1/4" x 5"	310 lbs.	Opt.	Cast
MUT68	80"	24"	SS	.075"	2" x 1½"	1½" x 6"	1"	69"	6	2	Full	3/8" x 6"	360 lbs.	Opt.	Cast
SKTE75	90"	31"	SS	.105"	1½" x 12"	N/A	1⅛"	78"	8	4	Edge	1/2" x 6"	781 lbs.	Std.	Cast
SKTE80	96"	31"	SS	.105"	1½" x 12"	N/A	1⅛"	83"	8	4	Edge	1/2" x 6"	848 lbs.	Std.	Cast
SKTE90	108"	31"	SS	.105"	1½" x 12"	N/A	1⅛"	94"	8	4	Edge	1/2" x 6"	888 lbs.	Std.	Cast
MD68	80"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	69.2"	6	2	Full	3/8" x 6"	380 lbs.	Std.	Cast
MD75	90"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	78"	8	2	Full	3/8" x 6"	400 lbs.	Std.	Cast
MD80	96"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	83"	10	2	Full	1/2" x 6"	439 lbs.	Std.	Cast
VMD75	90"	26"/33"	SS	.075"	1½" x 1¾" x 12"	1½" x 6"	1"	78"	6	4	Edge	3/8" x 6"	700 lbs.	Std.	Opt.
HD75II	90"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	78"	9	4	Full	3/8" x 6"	680 lbs.	Std.	Cast
HD80II	96"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	83"	9	4	Full	3/8" x 6"	700 lbs.	Std.	Cast
EX75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	78"	9	4	Full	1/2" x 6"	745 lbs.	Std.	Cast
EX80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	83"	9	4	Full	1/2" x 6"	765 lbs.	Std.	Cast
EX85II	102"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	88.3"	9	4	Full	1/2" x 6"	785 lbs.	Std.	Cast
EX90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	93.5"	9	4	Full	1/2" x 6"	805 lbs.	Std.	Cast
TE75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	78"	8	4	Edge	3/8" x 6"	705 lbs.	Std.	Cast
TE80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	83"	8	4	Edge	1/2" x 6"	772 lbs.	Std.	Cast
TE90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	94"	8	4	Edge	1/2" x 6"	812 lbs.	Std.	Cast
VXF85II	102"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	88"	8	4	Edge	1/2" x 6"	978 lbs.	Std.	Opt.
VXF95II	114"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	99"	8	4	Edge	1/2" x 6"	998 lbs.	Std.	Opt.
XP810	96"-120"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅛"	104"	9	4	Full	1/2" x 6"	1021 lbs.	Std.	Cast
CM100	120"	31"	SS	.105"	2" x 12"	2" x 6"	1⅛"	104"	10 ²	6	Full	5/8" x 6"	1084 lbs.	Std.	Cast

¹ Weight Not Including Truck Mount, 40-80lbs. Typical Weight; ² 2 Are Diagonal

SEE THE COMPLETE LINE OF SNOWDOGG® PLOWS,
ACCESSORIES AND GENUINE REPLACEMENT PARTS AT
WWW.SNOWDOGG.COM

A SNOWDOGG[®] EVOLUTION

OUR NEXT GENERATION OF PLOWS FEATURE MORE
POWER, DURABILITY & FLEXIBILITY THAN EVER BEFORE



1 ALL NEW Floating A-Frame™

Contours road for close scraping.
Designed for evenly balanced cutting edge wear.
Outstanding performance at every mounting height.



3 ALL NEW Heavy Duty Shock Kit on HD/EX Plows

Cushions trip action.
Protects components.
Standard on HD// & EX//.



5 ALL NEW Fully Enclosed Hydraulic Power Unit

Protected from the elements and easy access for maintenance.
Robust hoses, cartridge valves, and valve manifold for optimal performance.



2 ALL NEW Quick Mount II™

Integrated swing down feet (no need for a jack).
Quick mount/dismount on all terrains.



4 ALL NEW Municipal Style Chain Lift

Single chain design.
Easy to adjust.
High stacking capacity.



6 ALL NEW Ergonomic In-Cab Controller

Backlit single button control for scoop, V, and angle functions.



NEW HDII Series Plows

Full size full trip plows, weight optimized for lighter trucks.

Typical Applications: 1/2-Ton with Plow Prep, 3/4 Ton and up

STANDARD FEATURES

- Dual Beam Halogen Plow Lights
- Floating A-Frame™
- QuickMount II™ mounting system
- 304 Stainless Steel Blade
- 3/8 in. Cutting Edge
- Municipal lift arm and chain
- Heavy duty shock kit

INCLUDED ACCESSORIES

- Wire-reinforced blade guides
- Contoured polyethylene snow deflector
- Cast plow shoes
- Ergonomic in-cab, back-lit controller

PLOW WINGS, OPTIONAL




- Adds a full 2 ft to your plow
- Rotate behind plow for stowing, no lifting required
- Attachment pin shears upon high impact, to protect plow from damage
- Torsion Lock prevents wing from twisting during operation



Shown with optional
plow wings





4 Stress Optimized Trip Springs
Provide smooth mold board tripping action

1-1/2" x 12" Angle Cylinders
Deliver greater angling force than standard cylinders

2" Cross Tube & Heavy Duty Bottom Channel
Spreads loads to protect vital connection points

Durable 3/8" Cutting Edge
Means less time in the shop and more time on the road

Heavy Duty Lift Arm
Lift arm with 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking

304 Stainless Mold Board
Tough, corrosion free moldboard stands up to the elements

Aggressive Attack Angle
70° angle provides excellent scraping, rolling



2-YEAR WARRANTY
on all
SnowDogg®
Snow Plows

NEW EXII Series Plows

Flagship full size, full trip plows with rugged components to stand the test of time.

Typical Applications: 3/4 Ton Trucks with Plow Prep, 1 Ton Trucks and Up

STANDARD FEATURES

- Dual Beam Halogen Plow Lights
- Floating A-Frame™
- QuickMount II™ mounting system
- 304 Stainless Steel Blade
- 1/2 in. Cutting Edge
- Municipal lift arm and chain
- Heavy duty shock kit

INCLUDED ACCESSORIES


- Wire-reinforced blade guides
- Contoured polyethylene snow deflector
- Cast plow shoes
- Ergonomic in-cab, back-lit controller

PLOW WINGS, OPTIONAL



- Adds a full 2 ft to your plow
- Rotate behind plow for stowing, no lifting required
- Attachment pin shears upon high impact, to protect plow from damage
- Torsion Lock prevents wing from twisting during operation





4 Stress Optimized Trip Springs
Provide smooth mold board tripping action

1-1/2" x 12" Angle Cylinders
Deliver greater angling force than standard cylinders

2" Cross Tube & Heavy Duty Bottom Channel
Spreads loads to protect vital connection points

Durable 3/8" Cutting Edge
Means less time in the shop and more time on the road

Heavy Duty Lift Arm
Lift arm with 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking

304 Stainless Mold Board
Tough, corrosion free moldboard stands up to the elements

Aggressive Attack Angle
70° angle provides excellent scraping, rolling



2-YEAR WARRANTY
on all
SnowDogg®
Snow Plows

NEW TEII Series Plows

Full size commercial-grade plow with trip edge design.

Typical Applications: 3/4 Ton Trucks with Plow Prep, 1 Ton Trucks and Up

STANDARD FEATURES

- Dual Beam Halogen Plow Lights
- Floating A-Frame™
- QuickMount II™ mounting system
- 304 Stainless Steel Blade
- 1/2 in. Cutting Edge (3/8 in. on TE75)
- Municipal lift arm and chain
- Heavy duty shock kit

INCLUDED ACCESSORIES


- Wire-reinforced blade guides
- Contoured polyethylene snow deflector
- Cast plow shoes
- Ergonomic in-cab, back-lit controller
- Optional wing kit available

TRIP EDGE DESIGN



Allows for smooth plowing over obstacles. Great on gravel, dirt, or uneven roads.





2" Cross Tube & Heavy Duty Bottom Channel
Spreads loads to protect vital connection points

1-1/2" x 12" Angle Cylinders
Deliver greater angling force than standard cylinders

Trip Edge
Allows for smooth plowing over obstacles

Durable 3/8" Cutting Edge
Means less time in the shop and more time on the road

Heavy Duty Lift Arm
Lift arm with 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking

304 Stainless Mold Board
Tough, corrosion free moldboard stands up to the elements

Aggressive Attack Angle
70° angle provides excellent scraping, rolling



2-YEAR WARRANTY
on all
SnowDogg®
Snow Plows

NEW VXFII Series Plows

Full size, commercial-duty V-Plow with refined features.
 Typical Application: 3/4 Ton Trucks, 1 Ton Trucks and Up

STANDARD FEATURES

- Dual Beam Halogen Plow Lights
- Floating A-Frame™
- QuickMount II™ mounting system
- Dual-Action Angle cylinders for locked back dragging
- Twin Flared 304 Stainless Steel Blades
- 1/2 in. Cutting Edges
- Municipal-style lift arm and chain
- Stout greasable hinge pin for plow stability

INCLUDED ACCESSORIES


- Wire-reinforced blade guides
- Contoured polyethylene snow deflector
- Ergonomic in-cab, back-lit controller with button control for scoop, V, and angle functions
- Optional plow shoe kit and wing kit available

IMPROVED CONTROL OF VXFII WINGS



With the new controller, a single button will simultaneously position both plow wings into a scoop, V, or "straightblade" angle mode. Single-button actuation gives the plow the agility to quickly change positions based on what conditions demand. Standard control buttons still allow each wing to be adjusted independently for fine-tuning.





2" Cross Tube & Heavy Duty Bottom Channel
Spreads loads to protect vital connection points

1-1/2" x 12" Angle Cylinders
Deliver greater angling force than standard cylinders


Trip Edge
Allows for smooth plowing over obstacles

Durable 3/8" Cutting Edge
Means less time in the shop and more time on the road

304 Stainless Mold Board
Tough, corrosion free moldboard stands up to the elements

Aggressive Attack Angle
70° angle provides excellent scraping, rolling

Heavy Duty Lift Arm
Lift arm with 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking



2-YEAR WARRANTY
on all
SnowDogg®
Snow Plows

VUT Series Plows

Typical Application:

Full-Size UTVs

STANDARD FEATURES

- Available in 304 Stainless, Straight Blade & V-Plow
- The reliability of the SnowDogg® in a UTV Plow
- Fast acting hydraulics for quicker operation
- Weight optimized design to work with most full-size UTVs

VUT65 V-Plow


- Standard double acting cylinders for locked back dragging operation
- Aggressive flare for moving snow
- Narrow, 60", width at V, for tight spaces
- Simple torsional trip edge design for smooth plowing

Ideal for:

Campus and ground crews, clearing tight spaces such as walk-ways and small parking lots



VUT65



Power unit / hydraulics; full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismantling of plow

Aggressive Attack Angle

70° angle provides excellent scraping, rolling and throwing action

304 Stainless Mold Board

Tough, corrosion free moldboard

3/8" Cutting edge

Means less time in the shop and more time on the road

35° Travel Lift Arm

Provides exceptional snow stacking



1-1/2" x 8" Double acting angle cylinders allow for real back dragging, standard

Greaseable Hinge Pin

Wire Reinforced Blade Guides

Digital controller

Provides comfortable one hand operation with oversized glove-friendly buttons

Trip Edge Design

Allows for smooth plowing over obstacles




VUT65 Controller



MUT60 & MUT68



Power unit / hydraulics; full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismounting of plow



1-1/2" x 6" Angle cylinders

Aggressive Attack Angle
70° angle provides excellent scraping, rolling and throwing action

304 Stainless Mold Board

Tough, corrosion free moldboard

3/16" Laser Cut Steel Ribs with 1-5/16" Cross Tube

Spreads loads across components not connection points

35° Travel Lift Arm
Provides exceptional snow stacking

MUT Series Plows

Typical Application:

Full-Size UTVs

STANDARD FEATURES

- Available in 304 Stainless, Straight Blade & V-Plow
- The reliability of the SnowDogg® in a UTV Plow
- Fast acting hydraulics for quicker operation
- Weight optimized design to work with most full-size UTVs

MUT60 & MUT68 Straight Blade

- Narrow, 63" & 69", width at angle, for tight spaces
- Full trip edge design for smooth plowing

Ideal for:

Campus and ground crews, clearing tight spaces such as walk-ways and small parking lots

Two Stress Optimized Trip Springs

Provide up to 85° of smooth moldboard tripping action

Wire Reinforced Blade Guides



MD Series Plows

Typical Application:


1/2-Ton, 3/4-Ton, light-duty trucks & SUV's

STANDARD FEATURES


- Medium-Duty plow
- Half the weight of the EX Series plows
- Most trucks with no OEM plow prep package, lighter duty trucks and SUV's can handle the MD Series plows

Ideal for:

Small business owners and light-duty commercial users



Power unit / hydraulics; full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismounting of plow



1-1/2" x 10" Angle cylinders



Adjustable / Removable jack stand allows for maximum flexibility for a wide range of mounting conditions and surfaces



Contoured lift frame for greater ground clearance



**2-YEAR
WARRANTY**
on all
**SnowDogg®
Snow Plows**

**Wire Reinforced
Blade Guides**



35° Travel Lift Arm
Provides exceptional snow
stacking

**Two Stress Optimized
Trip Springs**
Provide up to 85° of smooth
moldboard tripping action

**3/16" Laser Cut Steel Ribs
with 1-5/16" Cross Tube**
Spreads loads across components
not connection points


**Durable 3/8" Cutting
Edge**
Means 50% longer life than
a 1/4" cutting edge and no
chatter

**Aggressive Attack
Angle**
70° angle provides
excellent scraping,
rolling and throwing
action

**304 Stainless Mold
Board**
Tough, corrosion free
moldboard

**Dual-Beam,
Halogen Plow Lights**
Powerful lights with secure
double post mounts

Snow Deflector Standard



Digital Controller
Provides comfortable
one hand operation
with oversized
glove-friendly buttons



VMD Series Plows

Typical Application:


1/2-Ton plow prep & 3/4-Ton plow prep trucks
(see snow plow application guide at www.snowdoggplows.com)

STANDARD FEATURES

- Power of the VXF Series in a lighter package
- Flared wings for moving and throwing snow

Ideal for:

Small business owners and light-duty commercial users



Power unit / hydraulics; full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismounting of plow



1-1/2" x 12" Double acting angle cylinders allow for real back dragging, standard



Adjustable / Removable jack stand allows for maximum flexibility for a wide range of mounting conditions and surfaces




Contoured lift frame for greater ground clearance





Optional plow shoe kit
(P/N: 16021750)



1/4" Laser Cut Steel Ribs with 2" Cross Tube & HD Channel
Spreads loads across components not connection points

35° Travel Lift Arm
Provides exceptional snow stacking

Trip Edge Design
For smooth plowing over obstacles

304 Stainless Mold Board
Tough, corrosion free moldboard

Aggressive Attack Angle
70° angle provides excellent scraping, rolling and throwing action

Snow Deflector Standard


Greaseable Hinge Pin

Dual-Beam, Halogen Plow Lights
Powerful lights with secure double post mounts

3/8" Cutting Edge
Means less time in the shop and more time on the road

Wire Reinforced Blade Guides

Digital Controller
Provides comfortable one hand operation with oversized glove-friendly buttons



2-YEAR WARRANTY
on all
SnowDogg®
Snow Plows



XP Series Plows

Typical Application:

3/4-Ton and larger trucks

STANDARD FEATURES

- Hydraulically expanding wings add a full 24" to your plowing width
- Wings are adjustable on the fly
- Tubular A-frame

Ideal for:

Commercial users with varying job sizes, both big and small



Power unit / hydraulics full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismounting of plow

OPTIONS

Shock Kit



- Cushions the trip action and return
- Helps prevent excessive tripping
- Protects plow components
- Requires no drilling for installation

Part No. | 16101550



Lift arm w/heavy-duty 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking



Adjustable/removable jack stand provides maximum flexibility for a wide range of mounting conditions & surfaces



Contoured lift frame provides greater ground clearance



**2-YEAR
WARRANTY**
on all
**SnowDogg®
Snow Plows**





Standard plow shoes

1/2" Cutting Edge

Means less time in the shop & more time on the road

304 stainless steel

Tough, corrosion free moldboard is sure to stand up against the elements

Aggressive Attack Angle

70° angle provides excellent scraping, rolling and throwing action

Forward 20° Scoop

Provides excellent pushing and windowing

Hydraulically Expanding Plow Wings

Add a full 24" to your plowing width



1-1/2" x 12" Angle Cylinders

Deliver greater angling force than standard cylinders

Tubular A-Frame

For heavy duty applications

1/4" Laser Cut Steel Ribs w/2" Cross Tube & HD Channel

Spreads loads across components, not connection points

4 Stress Optimized Trip Springs

Provide up to 85° of smooth moldboard tripping action

Dual-Beam, Halogen Plow Lights

Powerful lights with secure double post mounts

Wire Reinforced Blade Guides

Digital Controller

Provides comfortable one hand operation with oversized glove-friendly buttons



SnowDogg
by Buyers



CM Series Plows

Typical Application:


10,000 - 29,000 GVWR

STANDARD FEATURES

- Heavy-Duty plow in a commercial duty package
- 6 Trip springs
- Tough quadrant/sector configuration
- Central hydraulic lift frame available

Ideal for:

Commercial users and municipal applications




Power unit / hydraulics full size SAE std. cartridge valves, oversized 3/8" rubber hoses, integral valve manifold



Easy to use over center linkage operated locking pins with foot pedals, allows for quick mounting & dismounting of plow



Lift arm w/heavy-duty 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking




Adjustable/removable jack stand provides maximum flexibility for a wide range of mounting conditions & surfaces




**2-YEAR
WARRANTY**
on all
**SnowDogg®
Snow Plows**





2" x 12" Angle cylinders deliver greater angling force than standard cylinders



Contoured Lift Frame
For greater ground clearance

6 Stress Optimized Trip Springs
Provide up to 85° of smooth moldboard tripping action

1/4" Laser Cut Steel Ribs w/2" Cross Tube & HD Channel
Spreads loads across components, not connection points

2 Diagonal Ribs
For torsional stiffness

5/8" Cutting Edge
Means less time in the shop & more time on the road

304 stainless steel
Tough, corrosion free moldboard is sure to stand up against the elements

Aggressive Attack Angle
70° angle provides excellent scraping, rolling and throwing action

Heavy Duty, Belted Snow Deflector

Dual-Beam, Halogen Plow Lights
Powerful lights with secure double post mounts

Digital Controller
Provides comfortable one hand operation with oversized glove-friendly buttons

Fluorescent Blade Guides



SnowDogg
by Buyers




SKTE Series Plows

Typical Application:
Skid-Steer equipment

STANDARD FEATURES

- Heavy-Duty, robust design
- Universal skid-steer mount
- Available in 7-1/2ft, 8ft and 9ft widths
- Works with existing skid-steer hydraulics
- Swiveling A-Frame follows contour of road
- Trip edge design
- 304 Stainless Steel moldboard
- Deflector and shoes standard
- A-Frame and moldboard ordered separately
- Grease fittings/holes at pivot points



Standard plow shoes




1/2" x12" Angle cylinders provide greater angling force than standard cylinders



Trip edge design provides smoother plowing over obstacles



**2-YEAR
WARRANTY**
on all
**SnowDogg®
Snow Plows**



**1-1/2" x 12" Angle
Cylinders**

Deliver greater angling force
than standard cylinders

Trip Edge Design

Allows for smooth plowing
over obstacles

**1/4" Laser Cut Steel
Ribs with 2" Cross
Tube & HD Channel,**

Spreads loads across
components not connection
points

**Aggressive Attack
Angle**

70° angle provides
excellent scraping, rolling
and throwing action

**Stainless Steel
Moldboard**

Tough, corrosion free
moldboard

Snow Deflector Standard

**Wire Reinforced
Blade Guides**



1/2" Cutting Edge

Means less time in the shop and more
time on the road

Complete your Snow & Ice Fleet with SaltDogg® Spreaders.

Featuring the ALL NEW **PRO SERIES**

See Buyers full selection of Spreaders at SnowDogg.com

- Available in 2.0 cu.yd. (**PRO2000/PRO2000CH**) and 2.5 cu.yd. (**PRO2500/PRO2500CH**) capacities
- Full length auger or chain mechanism
- Independent, 12V auger-conveyor and spinner motors
- Swing-away chute design for convenient bulk unloading.



www.snowdogg.com





Our Corporate Family of Companies



Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. **Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.**



Our History

1946
Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.

1988
Buyers acquired Viking Forge in Streetsboro, Ohio with 6 complete forge lines. This facility manufactures our hitches, D-rings, and other towing and cargo parts.

1995
Buyers acquired Progressive Powder Coating. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.

2004
Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.

2009
Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



2016
Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product



Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.



1992
Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.



2002
Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.



2007
Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



2013
Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.



The Buyers family of manufacturing companies

Tracom

VF VIKING FORGE

 **Romotech**
Rotational Molding Technologies, Inc.

 **Boomerang**
RUBBER, INC.


PROGRESSIVE
POWDER COATING, INC.